Environmental Product Analysis



JoJo - A590

JoJo is an elegant and curvaceous stool created from 3D veneered Plywood or PU to provide one of the most comfortable shaped seating.

Design by Johannes Foersom & Peter Hiort-Lorensen

JoJo's two frame styles complement the seat design in the form of high and low four leg frames, or a height adjustable frame with a swivelling centre pedestal.

Product Summary

Scope of Assessment:

From extraction of raw materials through to production of the final Office Furniture unit (cradle to gate). See page 2 for more details.

Data Used:

Primary data was used wherever possible including for energy use during the core module.

All secondary data was obtained from the Ecolnvent database used in conjunction with SimaPro 7.3.2, using European data only.

Functional Unit:

A Seating solution designed and manufactured to last 15 years.

Regional Market:

The primary market for our Office Furniture products is Europe. The scope of this declaration reflects that.

Material Declaration

Material	Amount (kg)	Total (%)
Steel	12.55	90.46
Polypropylene	0.02	0.17
Plywood	1.30	9.37

Environmental Summary

55.73
45.00
1015.81
99.00

Date of Production: April 2016

Environmental Product Analysis

This Environmental Product Analysis has been created in accordance with, and following the principles of ISO14025 and ISO14044. All the Life Cycle Analysis data has been compiled, processed and verified by Oakdene Hollins Ltd.

Slund

Compilation and processing of LCA data performed by Dr. Dan Skinner (Oakdene Hollins Ltd.)

horm

Verification of LCA and environmental data performed by Dr. Adrian Chapman (Oakdene Hollins Ltd.)

Sustain

The Senator Group has for many years acknowledged that the key word upon which to focus our attention is Sustainability rather than Recyclability in pure isolation.

Our business takes a truly holistic approach to the design, manufacture, supply and reclamation of our products. We see this as a cyclical process.


From design to manufacture, use and reclamation we aspire to minimise all environmental impacts of The Senator Group's products and processes.

We harvest the resources back from the retired products then

remanufacture or reintroduce the materials into our component manufacturers supply chain.

We believe in taking responsibility for our own actions ourselves, wherever possible, rather than relying on third parties, or abdicating

our responsibilities by offsetting. The process of Sustainability is a cyclical one we understand this and we actively pursue this in everything that we do.



System Boundaries

System Boundaries

Resource (Kg)	Upstream	Core	Downstream	Total
From the Air	4.37	0.16	0.01	4.54
From the Ground	60.31	2.62	6.04	68.97
From the Water	0.00	0.26	0.00	0.26

Energy Consumption

Resource (MJ)	Upstream	Core	Downstream	Total
Biomass	46.85	1.51	0.13	48.49
Hydro	33.63	3.29	0.75	37.67
Solar	0.04	0.01	0.00	0.05
Wind	2.69	0.19	0.03	2.91
Non-Renewable Energy (MJ)	792.91	63.14	70.64	926.69
Total	876.12	68.14	71.55	1015.81

Environmental Impact Potential

Resource	Upstream	Core	Downstream	Total
Global Warming (Kg CO2 Equivalents)	47.79	3.79	4.15	55.73
Acidification (Kg SO2 Equivalents)	0.20	0.03	0.02	0.25
Eutrophication (Kg PO43 Equivalents)	0.01	0.00	0.00	0.01
Ozone Depletion (Kg CFC 11 Equivalents)	0.00	0.00	0.00	0.00
Photochemical Smog (Kg C2H4 Equivalents)	0.01	0.00	0.00	0.01

Toxic Emissions

Resource (Kg)	Upstream	Core	Downstream	Total
To the Air	51.22	184.24	405.92	641.38
To the Ground	0.06	0.02	0.05	0.12
To the Water	6.71	3.13	6.03	15.86

Recycled Content

Material	Recycled Content of Material (% by weight)	Recycled Content In Product (% by weight)
Material	Amount	Percent of Total
Steel	50.00	45.00

Total

Certificates

Description

Quality Assurance Environmental Management Chain of Custody Sustainability Occupational Health & Safety Management

Accreditation

ISO 9001 ISO 14001 FSC® FISP ISO 45001 Certified 1991 Certified 2001 Certified 2003 Certified 2006 Certified 2021

First Certified







All UK manufacturing Sites are certified to ISO standards, 9001, 14001 and 45001. In addition to this our Desking, Seating Division, Specialist Product and Teal sites are certified to Chain of Custody. We can provide FSC® certified products upon request.

FISP (Furniture Industry Sustainability Programme)

Awarded by FIRA, this sustainability certificate is designed to monitor all sustainability aspects of a company's facilities and operations. The Senator Group achieved one of the first sustainability certifications within the furniture industry – a public declaration of our commitment to improving our performance in every possible way.

Environmental Management

From extraction of raw materials through to production of the final Office Furniture unit (cradle to gate). See page 2 for more details.



Independent certification to prove The Senator Group only purchases MFC/ MDF/Chipboard from manufacturers who can prove they purchase their raw wood from sustainable sources.

Business Principles

The business works to the principles and through collaboration with our internal and external experts, we ensure that we have a robust, efficient and auditable system that ensure continuous improvement.

The Three R's

The Senator Group is committed to continually improving the sustainability of all environmental aspects within our business. To meet both international standards and our own environmental targets we apply the three R's principle–

Reduce, Reuse and Recycle.

Whilst recycling is the element which receives the most exposure it is actually the last option available and should never be the prime target in anyone's battle to reduce waste.

It is our duty as individuals and as a company to initially attempt to Reduce usage. Then we should look to Reuse wherever possible and finally, only after these two processes have been exhausted, should we consider Recycling.

Assessment Considerations

The following necessary assumptions and considerations were made during the course of the Life-Cycle Analysis:

- Manufacture of the furniture components was assumed to take place in the same factory in which the raw materials were processed, due to a lack of case-specific data.
- The transport of all materials, components and finished products was assumed to be via 16-32t Euro 6 lorries.
- All LCA data was modelled using the IMPACT 2002+ (v2.06) method.